

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	"20030191810"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:07
L4	0	L3 and ((storage adj resources) near5 config \$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:14
L5	1	L3 and ((storage adj resources) same config \$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:15
L6	2	((programmable adj logic adj device\$1) PLD\$1 FPGA\$1) near3 (clock adj signal) near3 (disable stop interrupt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:32
L7	22	((programmable adj logic adj device\$1) PLD\$1 FPGA\$1) near3 (clock adj signal) near3 (enable start)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:35
L8	44	(clock adj signal) near3 input near3 (PLD FPGA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:41
L9	25	(clock adj signal) near2 input near2 (PLD FPGA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:41

S1	78	access\$4 near3 (configuration mode state) near3 (information data info) near3 (component\$1 unit\$1 resource\$1) near3 (PLD \$1 device\$1 FPGA\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:02
S2	2	S1 with (file adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 08:00
S3	3	S1 same hierarch\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 08:06
S4	141	(call\$4 invok\$4 request \$4) near3 (virtual adj file adj (service directory system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:05
S5	0	S1 same S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 08:08
S6	15	S4 with (device\$1 PLD \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 08:08
S7	1431	713/001,002,100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 08:08
S8	0	S6 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 08:08

S9	1004	access\$4 near3 (configuration mode state) near3 (information data info) near3 (component\$1 unit\$1 resource\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:12
S10	0	S9 same S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:12
S11	5640	(call\$4 invok\$4 request \$4) near3 (file adj (service directory system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:13
S12	0	S9 same S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:13
S13	20	S9 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:18
S14	0	S9 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:14
S15	0	S7 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:14
S16	13	(hierarchy near3 (director \$4 file\$1)) near5 (virtual adj file adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:22

S17	0	S16 near5 (OS (operating adj system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:20
S18	0	S16 with (OS (operating adj system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:20
S19	1	S16 same (OS (operating adj system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:20
S20	135	(call\$4 invok\$4 request \$4) near3 (virtual adj file adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:47
S21	15895	access\$4 near3 (configuration mode state) near3 (information data info)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:49
S22	0	S20 same S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:49
S23	5	S20 same ((configuration mode state) near3 (information data info))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:49
S24	177	(access\$4 get\$4 obtain \$4 gether\$4 collect\$4) near3 (configuration mode state) near3 (information data info) near3 (component\$1 unit \$1 resource\$1) near3 (PLD\$1 device\$1 FPGA \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:02

S25	0	S24 same S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:05
S26	0	S24 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:06
S27	0	(program near2 (call\$1 request\$1)) near3 S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:07
S28	56	(call\$1 request\$1) near3 S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:17
S29	6	(call\$1 request\$1) near3 S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:07
S30	0	S28 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:17
S31	35	(virtual near1 file\$1) with (configur\$5 near2 (information data resource\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:39
S32	1452	713/001,002,100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:41

S33	0	S31 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:41
S34	2	"6708278".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 08:17
S35	35	(virtual near1 file\$1) with (configur\$5 near2 (information data resource\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:14
S36	30	S35 and (director\$4 hierarchy list\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:14
S37	6	S35 same (director\$4 hierarchy list\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:26
S38	35	S35 same (director\$4 hierarchy list\$1 file\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:26
S39	35	S35 with (director\$4 hierarchy list\$1 file\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:26
S40	1019	access\$4 near3 (configuration mode state) near3 (information data info) near3 (component\$1 unit\$1 resource\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:30

S41	3	S40 same ((programmable adj logic adj device\$1) PLD\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:31
S42	0	S41 same S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:32
S43	45	S40 and ((programmable adj logic adj device\$1) PLD\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:32
S44	0	S43 and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:32
S45	7	S40 same ((programmable adj logic adj device\$1) PLD\$1 FPGA\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:34
S46	70	S40 and ((programmable adj logic adj device\$1) PLD\$1 FPGA\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:34
S47	0	S46 and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:35
S48	0	(virtual adj file) same ((programmable adj logic adj device\$1) PLD\$1 FPGA\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:37

S49	96	(virtual adj file) and ((programmable adj logic adj device\$1) PLD\$1 FPGA\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:37
S50	71955	((programmable adj logic adj device\$1) PLD\$1 FPGA\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:38
S51	6	S35 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:38

3/13/2008 10:14:47 AM

C:\Documents and Settings\mbrown7\My Documents\EAST\Workspaces\10812643.wsp